

Scale Labels

[LSi Home]

[CasLabels.com]

About LSi

[Contact LSi]

[LSi Scale Label Index]

CAS LP-II Labels for the

Label Printing Scale



computer generated likeness

LSi is not affiliated with CAS Corporation, or any other company. Many CAS scale labels are used in more than one scale model and new scale models are introduced to the marketplace regularly. This catalog may not represent all available CAS labels. Call LSi for information about pricing and availability for labels listed in this catalog as well as labels that may not be listed.

Label Specialties, Inc.

Email: sales@labelspec.com

704 Dunn Way • Placentia, CA 92870 USA

(800) 635-2386 • (714) 961-8074 • Fax (714) 961-8276

All brand names and products are trademarks of their respective companies. All rights reserved.



Email: sales@labelspec.com

800-635-2386

Local: 714-961-8074 Fax: 714-961-8276

704 Dunn Way • Placentia, CA 92870

CAS Scale Labels For Use in CAS Label Printing Scales

Label Specialties, Inc. is not affiliated with CAS Corp., any other company or scale manufacturer, and LSi does not sell or service CAS scales or any other scale brands. However, Label Specialties, Inc. has specialized in manufacturing scale labels since 1980 and manufacturing CAS scale labels since 1993.

In 1994, LSi completely redesigned the original, very plain and unattractive, CAS LP-1000 series labels for CAS-USA. As today's industry standard format, our innovative design has been referenced in CAS literature distributed worldwide and is today still used as a base for CAS stock labels produced by every leading manufacturer.

LSi manufactured custom CAS labels and stock CAS labels have been used in thousands of LP-1000, LP-1000N, CL5000, and LP-II scales to label retail bakery, deli, meat, fish and other seafood, poultry, and produce packages found throughout North America.

As a leading, nationally recognized scale label manufacturer for nearly three decades, LSi continues to maintain a leadership position in providing premium quality CAS scale labels to small, medium, and large customers nationwide and in other countries.

Over 1,800 distributors and other label customers throughout North America can attest to our industry leading prices on CAS labels and other scale label brands.

Our quality and prices are indeed reflective of our reputation.

Label Specialties, Inc. manufacturers both CAS custom scale labels and CAS stock scale labels. **LSi** also maintains a large inventory of popular stock CAS scale labels that allow LSi to service customers with same, or next day shipping capabilities.

Warranty

LSi **CAS** scale labels are produced using **premium** direct thermal papers. The direct thermal material is coated with a standard supermarket grade adhesive and has a service range of -60°F to +150°F with a suggested range for applying the labels at between +25° and standard room temperature.

Our supermarket adhesive is designed for adhering to both **refrigerated and non-refrigerated** retail food packages and our base materials always meet, or exceed O.E.M. specitications.

Label Specialties, Inc. guarantee our labels will perform as designed.

For pricing or additional information, please contact LSi



CAS Scale Labels for the CAS LP-II Scale

The CAS LP-II series scale is designed with free-format label printing capabilities. The capability of the LP-2 scale now allow the option of using many direct thermal labels originally designed for use in other brands of printing scales.

Note: Verify operator manuals for the label correctness and corresponding pre-set format numbers for the LP-II.

PACKED ON SELL BY NET WT. LBS PRICE PER LB. TOTAL PRICE


LSi ID# TC103

Label Description: LP-II Non-UPC (CAS 8000)

Label Size (W x L): 58mm x 30mm Packaging: 1,000/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TC101

Label Description: LP-II UPC (CAS 8010)

Label Size (W x L): 58mm x 40mm Packaging: 700/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TC111

Label Description: LP-II Non-UPC; SHI (CAS 8030)


Label Size (W x L): 58mm x 50mm Packaging: 600/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases







LSi ID# TC115

Label Description: **LP-II** UPC; Ingredient (CAS **8020**)

Label Size (W x L): 58mm x 60mm Packaging: 500/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:



LABELS FOR CAS LP-II SCALE continued

PACKED ON SELL BY NET WT. LBS.

PRICE PER LB.

TOTAL PRICE

THIS PRODUCT WAS PREPARED FROM INSPECTED AND PASSED MEAT AND OR POLITIFY. SOME FOOD PRODUCTS MAY CONTAIN BACTERIA HAI COULD CAUSE ILLNESS IF THE PRODUCT IS MISSHANDLED OR COOKED IMPROPERLY FOR YOUR PROTECTION, YOLLOW TRESS SAFE HAMOLIAS INSTAUDLED OR COOKED IMPROPERLY FOR YOUR PROTECTION, YOLLOW TRESS SAFE HAMOLIAS INSTAUDLED OR FRODEN THAN IN PERFIGERATION ON MICROWAVE KEEP RAW HEAT AND POLITIFY SEPARATE FROM

ALED FAIR FOODS. WAS OWNERING SURPRICES STATE FOODS. HOT REFRIBERATE LEFTOVERS MANUAL INCLUDING CUTTING BOARDS), UTENSILS, AND

INCLUDING CUTTING BOARDS), UTENSILS, AND

AMEDIATE YOR DECLARD.

LSi ID# TC113

Label Description: LP-II UPC; SHI (CAS 8040)

Label Size (W x L): 58mm x 60mm Packaging: 500/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TC113T

Label Description: LP-II UPC; SHI (CAS 8045)

Label Size (W x L): 58mm x 60mm Packaging: 500/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



SAFE HANDLING INSTRUCTIONS

INSTRUCTION THAN THE PINED THOM INSTRUCTION AND PASSED MEAN AMOUNT POUR TIS USER TOUR
DOUGLIS MAN COMINA BECERRA I HAN COULD CAUSE LILESSES IF HE PRODUCT IS MINISTANCIED ON
DONED IMPROPERLY FOR YOUR PROTECTION, FOLLOW THESE SAFE HANDLING INSTRUCTIONS.

THE PROVEN HE FOR THAN THE PROTECTION OF MINISTRUCTIONS

KEEP RAW MEAT AND POULTRY SEPARATE FROM

OTHER FOODS. WASH WORKING SUBFACES

OTHER FOODS. WASH WORKING SUBFACES.

NEET REPRINGEMENT OF TRUCEN. HAVE IN REPRINGEMENT OF MICROWAVE.

COOK THROBOUGHLY.

OTHER FOODS. WASH WORKING SURFACES

(INCLUDING CUTTING BOARDS). UTENSILS, AND

REFRIGERATE LETTOVERS

MAMEDIATELY OR DISCIRD.

LSi ID# TC115B

Label Description: **LP-II** 60mm Blank Label Size (W x L): 58mm x 60mm Packaging: 500/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:



LABELS FOR CAS LP-II SCALE continued

LSi ID# TC120

Label Description: LP-II Continuous Strip (CAS 8050)

Label Size (W x L): 64mm x 2528"

Packaging: 1 continuous roll; **6** rolls Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TC117B

Label Description: **LP-II** 75mm Blank Label Size (W x L): 58mm x 75mm Packaging: 400/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases





Label Description: **LP-II** 100mm Blank Label Size (W x L): 58mm x 100mm Packaging: 300/roll; 12 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



The LP-II scale is capable of using many additional label sizes and formats. The following pages represent a sampling of the additional labels for use in the CAS LP-2 scale.

Standard Digi Stock Format Labels used in the CAS LP-II Scale



LSi ID# TD363


Label Description: LP-II 43mm UPC (Digi)

Label Size (W x L): 60mm x 43mm Packaging: 1,500/roll; 15 rolls

Approx. Wt (lbs.): 28 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# TD364

Label Description: LP-II 55mm UPC (Digi)

Label Size (W x L): 60mm x 55mm Packaging: 830/roll; 15 rolls

Approx. Wt (lbs.): 20 Wind Direction:

Minimum Orders: Stock: 5 cases • Custom: 5 cases





LSi ID# TD360S

Label Description: LP-II 80mm UPC, Safe Handling (Digi)

Label Size (W x L): 60mm x 80mm Packaging: 750/roll; 15 rolls

Approx. Wt (lbs.): 20 Wind Direction:



Standard Digi Stock Format Labels used in the $CAS\ LP-II$ Scale continued

PRICE PER LB. SELL BY

NET WT. LBS. TOTAL PRICE \$

LSi ID# TA143

Label Description: LP-II 62mm UPC (Digi)

Label Size (W x L): 40mm x 62mm Packaging: 500/roll; 25 rolls

Approx. Wt (lbs.): 14 Wind Direction:

Minimum Orders: Stock: 5 cases • Custom: 5 cases



PRICE PER LB. SELL BY

NET WT. LBS. TOTAL PRICE \$

LSi ID# TD353

Label Description: LP-II 92mm UPC, Ingredient (Digi)

Label Size (W x L): 40mm x 62mm Packaging: 350/roll; 25 rolls

Approx. Wt (lbs.): 19 Wind Direction:



Standard Ishida Stock Format Labels use in the CAS LP-II Scale



LSi ID# Ti201

Label Description: **LP-II** UPC (Ishida) Label Size (W x L): 64mm x 47mm Packaging: 800/roll; 12 rolls

Approx. Wt (lbs.): 13 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# **Ti207**


Label Description: LP-II UPC, Ingredients (Ishida)

Label Size (W x L): 64mm x 59mm Packaging: 625/roll; 12 rolls

Approx. Wt (lbs.): 13 Wind Direction:



Standard Kubota Stock Format Labels used in the CAS LP-II Scale




LSi ID# TK740

Label Description: **LP-II** UPC (Kubota)
Label Size (W x L): 54mm x 52.5mm
Packaging: 900/roll; 12 rolls

Approx. Wt (lbs.): 13 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# TK711


Label Description: LP-II Non-UPC (Kubota)

Label Size (W x L): 67mm x 37.5mm Packaging: 1,200/roll; 12 rolls

Approx. Wt (lbs.): 15 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# TK715


Label Description: LP-II Non-UPC (Kubota)

Label Size (W x L): 67mm x 47.5mm Packaging: 1,000/roll; 12 rolls

Approx. Wt (lbs.): 15 Wind Direction:

Minimum Orders: Stock: 5 cases • Custom: 5 cases





LSi ID# TK716

Label Description: **LP-II** UPC (Kubota)
Label Size (W x L): 67mm x 47.5mm
Packaging: 1,000/roll; 12 rolls

Approx. Wt (lbs.): 15 Wind Direction:



Standard TEC Stock Format Labels used in the CAS LP-// Scale

PACKED ON

SELL BY

NET WT Ibs PRICE/LB. \$ TOTAL PRICE

LSi ID# TT251S

Label Description: **LP-II** UPC (TEC) Label Size (W x L): 48mm x 40mm Packaging: 600/roll; 16 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



PACKED ON

SELL BY

NET WT Ibs PRICE/LB. \$ TOTAL PRICE

LSi ID# TT251DC

Label Description: LP-II UPC (TEC Die Cut)

Label Size (W x L): 48mm x 40mm Packaging: 600/roll; 16 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TA153DC Label Description: LP-II UPC, Extra Text (TEC Die Cut)

Label Size (W x L): 48.0mm x 54mm Packaging: 500/roll; 16 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 5 cases • Custom: 5 cases

PACKEDON

SELL BY

NET WT IDS PRICE/LB. S TOTAL PRICE

LSi ID# TT253

Label Description: **LP-II** UPC, Ingredient (TEC)

Label Size (W x L): 48mm x 54.8mm Packaging: 500/roll; 16 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



PACKED ON SELL BY

NET WT Ibs PRICE/LB. \$ TOTAL PRICE

Standard TEC Stock Format Labels used in the CAS LP-II Scale continued

PACKED ON

SELL BY

NET WT Ibs PRICE/LB. \$ TOTAL PRICE


LSi ID# TT256

Label Description: LP-II UPC, 6 Line Ingredient (TEC)

Label Size (W x L): 48mm x 69.3mm Packaging: 400/roll; 16 rolls

Approx. Wt (lbs.): 10 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TT270


Label Description: **LP-II** 57mm wide Continuous Strip (TEC)

Label Size (W x L): 57mm x 1300"

Packaging: 1 continuous roll; 16 rolls

Approx. Wt (lbs.): 12 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# TT272

Label Description: **LP-II** UPC (TEC) Label Size (W x L): 57mm x 49.2mm Packaging: 600/roll; 16 rolls

Approx. Wt (lbs.): 13 Wind Direction:



Standard TEC Stock Format Labels used in the CAS LP-// Scale continued



LSi ID# TT274

Label Description: LP-II UPC, 6 Line Ingredient (TEC)

Label Size (W x L): 57mm x 63.5mm Packaging: 450/roll; 16 rolls

Approx. Wt (lbs.): 13 Wind Direction:

Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# TT274S

Label Description: LP-II UPC, Safe Handling (TEC)

Label Size (W x L): 57mm x 63.5mm Packaging: 450/roll; 16 rolls

Approx. Wt (lbs.): 13 Wind Direction:





800-635-2386 Local: 714-961-8074

Fax: 714-961-8276

704 Dunn Way • Placentia, CA 92870

- Label Specialties, Inc. manufactures custom scale labels in up to six different colors
- LSi manufactures and maintains a large inventory of popular stock scale labels ready for same day, or next day shipping

LSi manufactured supermarket scale labels are produced using premium direct thermal materials with a standard supermarket grade adhesive designed to adhere to quality films and wrapping papers found in most food related environments. Please contact LSi for information about specific label applications, or requirements.

Label Specialties, Inc. guarantee our labels will perform as designed.

For a Price Quotation, or additional information, please contact LSi



LSi manufactures direct thermal scale labels for use in label scales offered by

Acom · Atron · Avery Berkel · Bizerba · CAS · Digi
 Easy Weigh · Exact · Globe Equipment · Hobart · Ishida
 Kubota · Toshiba TEC · Mettler Toledo · Tor-Rey · Weldotron

LSi also manufactures Direct Thermal labels for scale and printer models offered by Antonson, ESI, Esselte Meto, Global, Hi-Speed, K-Tron, NCI, and Turn-O-Matic

LSi does not publish our prices on the Internet, so for pricing or additional information please contact LSi

For three decades Label Specialties, Inc. has been a leading, nationally recognized manufacturer of scale labels used in all major brands of label printing scales by meat and seafood markets, retail grocers and food stores, supermarkets and warehouse superstores, meat, poultry, and cheese processors, and other food manufacturers and establishments to label bakery and candy, deli and cheese, meat and poultry, fish and other seafood, produce, and prepared food packages found everywhere.

Label Specialties, Inc. is not affiliated with any other company or the companies referenced above and LSi does not sell or service any scales.