



www.labelspec.com

800-635-2386

Local: 714-961-8074

Fax: 714-961-8276

Toshiba TEC

Scale

Label

Catalog

[click here for Table Of Contents](#)

Ph: **800-635-2386** • **714-961-8276** Fax



TEC Scale Labels

[[LSi Home](#)]

[[TECScaleLabels.com](#)]

[[About LSi](#)]

[[Contact LSi](#)]

[[LSi Scale Label Index](#)]



Scale Labels for the
TEC SL-57, SL-66, & SL-6600 Scales

Scale Labels for the
TEC SL-9000 Scale
(48mm widths and 57mm widths)



Scale Labels for the
TEC H-9100 Scale

Scale Labels for the
TEC BC4000TEC Scale



Scale Labels for the
TEC SL-5300 Scale

Scale Labels for the *TEC H-1700 & TEC SL-59* model scales

LSi is not affiliated with Toshiba TEC. Many TEC scale labels are used in more than one TEC scale model and new scale models are introduced to the marketplace regularly. This catalog may not represent all TEC labels available from LSi. Call LSi for information about pricing and availability for labels listed in this catalog as well as labels that may not be listed.

Label Specialties, Inc.

Email: sales@labelspec.com

704 Dunn Way • Placentia, CA 92870 USA

(800) 635-2386 • (714) 961-8074 • Fax (714) 961-8276

All brand names and products are trademarks of their respective companies. All rights reserved.

TEC Scale Labels **For Toshiba TEC Label Scales**

Label Specialties, Inc. is not affiliated with Toshiba TEC, any other scale manufacturer or company, and LSi does not sell TEC Scales. However, Label Specialties, Inc. has specialized in manufacturing scale labels including TEC labels since 1980. LSi manufactures scale labels used in all major scale brands including Atron, Acom, Easy Weigh, Avery Berkel, Bizerba, CAS, Digi, Globe Equipment, Hobart, Ishida, Kubota, Mettler Toledo, Toshiba TEC, Tor-Rey, and many others.

LSi manufactured TEC custom labels and TEC stock labels have been used in thousands of TEC scales to label retail bakery, deli and cheese, meat, fish and other seafood, poultry, produce, and prepared foods packages found throughout North America.

As a leading, nationally recognized scale label manufacturer for three decades, LSi continues to maintain a leadership position in providing premium quality TEC scale labels to small, medium, and large customers nationwide and in other countries.

Over 1,800 distributors and other label customers throughout North America can attest to our industry leading prices on TEC and other scale label brands.

Our quality and prices are indeed reflective of our reputation.

Label Specialties, Inc. manufactures both **custom** TEC labels and **stock** TEC labels, and LSi maintains a large inventory of popular stock TEC scale labels and other scale label brands that allow LSi to service customers with same, or next day shipping capabilities.

Warranty

LSi **TEC** scale labels are manufactured using **premium** direct thermal papers and coated with a standard supermarket grade adhesive that has a service range of -60°F to +150°F and a suggested range for applying the labels at between +25° and standard room temperature. Our supermarket adhesive is designed for adhering to both **refrigerated** and **non-refrigerated** retail food packages.

Label Specialties, Inc. guarantee our labels will perform as designed.

LSi prices are not published on the internet. Please **contact LSi** for pricing or additional information.




LABELS FOR **TEC** LABEL SCALES

SL-57, SL-66, and SL-6600 Scale Labels




LSi ID# **TT231**
 Label Description: SL-57, SL-66, SL-6600 Non-UPC
 Label Size (W x L): 48mm x 30mm
 Packaging: 900/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251**
 Label Description: SL-57, SL-66, SL-6600 UPC (without Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251S**
 Label Description: SL-66, SL-6600 UPC (with Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT251DC**
 Label Description: SL-66, SL-6600 UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALES continued

SL-66, and SL-6600 Labels continued



LSi ID# **TT253DC**
 Label Description: SL-66, SL-6600 UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 48mm x 54mm
 Packaging: 500/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TT253**
 Label Description: SL-66, SL-6600 UPC
 Label Size (W x L): 48mm x 54.8mm
 Packaging: 500/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT255**
 Label Description: SL-66, SL-6600 UPC, 12 Line Ingredient, no bold Net Weight
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

SL-66 Scale Labels and SL-6600 Labels continued




LSi ID# **TT255S**
 Label Description: SL-66, SL-6600 UPC, Safe Handling
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT256**
 Label Description: SL-66, SL-6600 UPC, 6 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 69.3mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT257**
 Label Description: SL-66, SL-6600 UPC, 12 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued

SL-66 Labels and SL-6600 Labels continued



LSi ID# **TT260S**
 Label Description: SL-66, SL-6600 UPC, Safe Handling
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT264**
 Label Description: SL-66, SL-6600 UPC, Expanded Text
 Label Size (W x L): 48mm x 92mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

SL-66, and SL-6600 Scale Labels continued



LSi ID# **TT264S**
 Label Description: SL-66, SL-6600 UPC, Safe Handling
 Label Size (W x L): 48mm x 92mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT259**
 Label Description: SL-66, SL-6600 UPC, 22 Line Ingredient, bold Net Weight statement
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 250/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued


SL-66, and SL-6600 Labels continued



LSi ID# **TT259S**
 Label Description: SL-66, SL-6600 UPC, Safe Handling
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 250/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT258**
 Label Description: SL-66, SL-6600 22 Line Ingredient, bottom UPC, bold Net Weight statement
 Label Size (W x L): 48mm x 112.7mm
 Packaging: 225/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT252**
 Label Description: SL-66, SL-6600 Continuous Strip
 Label Size (W x L): 48.0mm x 1,000"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** LABEL SCALES

SL-9000 Scale Labels


SL-9000 (48mm width)




LSi ID# **TT231**
 Label Description: SL-9000 Non-UPC
 Label Size (W x L): 48mm x 30mm
 Packaging: 900/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251**
 Label Description: SL-9000 UPC (without Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251S**
 Label Description: SL-9000 UPC (with Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT251DC**
 Label Description: SL-9000 UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALES continued

SL-9000 Labels (48mm width) continued



LSi ID# **TT253DC**
 Label Description: SL-9000 UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 48mm x 54mm
 Packaging: 700/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TT253**
 Label Description: SL-9000 UPC
 Label Size (W x L): 48mm x 54.8mm
 Packaging: 500/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT255**
 Label Description: SL-9000 UPC, 12 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

SL-9000 Labels (48mm width) continued




LSi ID# **TT255S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT256**
 Label Description: SL-9000 UPC, 6 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 69.3mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT257**
 Label Description: SL-9000 UPC, 12 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR TEC LABEL PRINTING SCALES continued

SL-9000 Labels (48mm width) continued



LSi ID# **TT260S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT264**
 Label Description: SL-9000 UPC, Expanded Text
 Label Size (W x L): 48mm x 92mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

SL-9000 (48mm width) Labels continued



LSi ID# **TT264S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 92mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT259**
 Label Description: SL-9000 UPC, 22 Line Ingredient, bold Net Weight statement
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 250/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued


SL-9000 (48mm width) Labels continued



LSi ID# **TT259S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 250/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT258**
 Label Description: SL-9000 22 Line Ingredient, bottom UPC, bold Net Weight statement
 Label Size (W x L): 48mm x 112.7mm
 Packaging: 225/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT252**
 Label Description: SL-9000 Continuous Strip
 Label Size (W x L): 48.0mm x 1,000"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

SL-9000 Labels (57mm width)



LSi ID# **TT272**
 Label Description: SL-9000 UPC, Commodity 49.2mm Standard
 Label Size (W x L): 57mm x 49.2mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT274**
 Label Description: SL-9000 UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT274S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued


SL-9000 (57mm width) Labels continued



LSi ID# **TT276**
 Label Description: SL-9000 UPC, 18 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT276S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT270**
 Label Description: SL-9000 Continuous Strip
 Label Size (W x L): 57mm x 1,300"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALE PRINTERS

H-9100 Scale Labels



LSi ID# **TT272L**
 Label Description: H-9100 UPC, Commodity
 Label Size (W x L): 57mm x 49.2mm
 Packaging: 4,250/roll; 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT274L**
 Label Description: H-9100 UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 3,300/roll; 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT274SL**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 3,300/roll; 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued


H-9100 Labels continued



LSi ID# **TT276L**
 Label Description: H-9100 UPC, 18 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 2,300/roll; 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TT276SL**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 2,300/roll; 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TT270**
 Label Description: SL-9000 Continuous Strip
 Label Size (W x L): 57mm x 8464"
 Packaging: 5 rolls
 Approx. Wt (lbs.): 20 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALE PRINTERS

BC-4000TEC Scale Labels


The following labels are only a sampling of our most popular labels available for use in the BC4000TEC Scale. The scale is designed to accept label widths from 1.5" to 2.5" (38mm to 64mm) and label lengths from 1.2" to 9.4" (30mm to 240mm), including many TEC SL-66, TEC SL-9000, Ishida and other standard direct thermal labels. If your desired label size is not listed, please contact LSi.




LSi ID# **TT231**
 Label Description: BC-4000TEC Non-UPC, Commodity
 Label Size (W x L): 48mm x 30mm
 Packaging: 900/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251S**
 Label Description: BC-4000TEC UPC (with Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251DC**
 Label Description: BC-4000TEC UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT253DC**
 Label Description: BC-4000TEC UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 48mm x 54mm
 Packaging: 500/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

BC-4000TEC Labels continued



LSi ID# **T4880B**
Label Description: BC-4000TEC Blank
Label Size (W x L): 48mm x 80mm
Packaging: 450/roll; 16 rolls
Approx. Wt (lbs.): 11 Wind Direction: Out
Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **T48105B**
Label Description: BC-4000TEC Blank
Label Size (W x L): 48mm x 105mm
Packaging: 350/roll; 16 rolls
Approx. Wt (lbs.): 11 Wind Direction: Out
Minimum Orders: Stock: 5 cases • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued

BC-4000TEC Labels continued



LSi ID# **TT252**
 Label Description: BC-4000TEC Continuous Strip
 Label Size (W x L): 48.0mm x 1,000"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT272**
 Label Description: BC-4000TEC UPC
 Label Size (W x L): 57mm x 49.2mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT274**
 Label Description: BC-4000TEC UPC, 6 Line Ingredient
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

BC-4000TEC Labels continued



LSi ID# **TT274S**
 Label Description: BC-4000TEC UPC, Safe Handling
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT270**
 Label Description: BC-4000TEC Continuous Strip
 Label Size (W x L): 57mm x 1,300"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued


BC-4000TEC Labels continued



LSi ID# **Ti222B**
 Label Description: BC-4000TEC (Ishida) Blank
 Label Size (W x L): 60mm x 44mm
 Packaging: 800/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **Ti222**
 Label Description: BC-4000TEC (Ishida) UPC
 Label Size (W x L): 60mm x 44mm
 Packaging: 800/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **Ti260B**
 Label Description: BC-4000TEC (Ishida) Blank
 Label Size (W x L): 60mm x 80mm
 Packaging: 450/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: Out
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued


BC-4000TEC Labels continued



LSi ID# **Ti260B**
 Label Description: BC-4000TEC (Ishida) Blank
 Label Size (W x L): 60mm x 95mm
 Packaging: 350/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: Out
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **Ti201**
 Label Description: BC-4000TEC (Ishida) UPC
 Label Size (W x L): 64mm x 47mm
 Packaging: 800/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **Ti207**
 Label Description: BC-4000TEC (Ishida) UPC, 5 Line
 Label Size (W x L): 64mm x 59mm
 Packaging: 625/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

BC-4000TEC Labels continued




LSi ID# **Ti207S**
 Label Description: BC-4000TEC (Ishida) UPC, Safe Handling
 Label Size (W x L): 64mm x 59mm
 Packaging: 625/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **Ti211**
 Label Description: BC-4000TEC (Ishida) UPC, Expanded Text
 Label Size (W x L): 64mm x 73mm
 Packaging: 525/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **Ti215**
 Label Description: BC-4000TEC (Ishida) UPC, Ingredient
 Label Size (W x L): 64mm x 85mm
 Packaging: 450/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

BC-4000TEC Labels continued



LSi ID# **Ti220B**
Label Description: BC-4000TEC (Ishida) Blank with Perf.
Label Size (W x L): 64mm x 110mm
Packaging: 330/roll; 12 rolls
Approx. Wt (lbs.): 13 Wind Direction: C
Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **Ti218L**
Label Description: BC-4000TEC (Ishida) 130' Continuous Strip
Label Size (W x L): 64mm x 1564"
Packaging: 12 rolls
Approx. Wt (lbs.): 14 Wind Direction: Out
Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALE PRINTERS

SL-5300 Scale Labels


The following labels are only a sampling of our most popular labels available for use in the SL-5300 Scale. The scale is designed to accept label widths from 1.89" to 3.15" (48mm to 80mm) and label lengths from 1.2" to 9.4" (30mm to 240mm) including many TEC SL-66, TEC SL-9000, Ishida, and other brands of standard direct thermal labels. If your desired label size is not listed, please contact LSi.



LSi ID# **T5340DC**
 Label Description: SL-5300 UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 950/roll; 16 rolls
 Approx. Wt (lbs.): 16 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **T4854DC**
 Label Description: SL-5300 UPC, 6 Line Ingredient, no bold Net Weight statement
 Label Size (W x L): 48mm x 54mm
 Packaging: 700/roll; 16 rolls
 Approx. Wt (lbs.): 16 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TT252**
 Label Description: SL-5300 Continuous Strip
 Label Size (W x L): 48.0mm x 1,000'
 Packaging: 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

SL-5300 Labels continued



LSi ID# **T4880B**
Label Description: SL-5300 Blank
Label Size (W x L): 48mm x 80mm
Packaging: 450/roll; 16 rolls
Approx. Wt (lbs.): 16 Wind Direction: Out
Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **T48105B**
Label Description: SL-5300 Blank
Label Size (W x L): 48mm x 105mm
Packaging: 350/roll; 16 rolls
Approx. Wt (lbs.): 16 Wind Direction: Out
Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

SL-5300 Labels continued



LSi ID# **TT272**
 Label Description: SL-5300 UPC
 Label Size (W x L): 57mm x 49.2mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT274**
 Label Description: SL-5300 UPC, 6 Line Ingredient
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT274S**
 Label Description: SL-5300 UPC, Safe Handling
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued


SL-5300 Labels continued



LSi ID# **TT270**
 Label Description: SL-5300 Continuous Strip
 Label Size (W x L): 57mm x 1,300"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 14 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **Ti260B**
 Label Description: SL-5300 (Ishida) Blank
 Label Size (W x L): 60mm x 80mm
 Packaging: 450/roll; 12 rolls
 Approx. Wt (lbs.): 14 Wind Direction: Out
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **Ti227L**
 Label Description: SL-5300(Ishida) 130' Continuous Strip
 Label Size (W x L): 64mm x 1564"
 Packaging: 12 rolls
 Approx. Wt (lbs.): 14 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

SL-5300 Labels continued



LSi ID# **Ti201**
 Label Description: SL-5300(Ishida) UPC
 Label Size (W x L): 64mm x 47mm
 Packaging: 800/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **Ti207**
 Label Description: SL-5300(Ishida) UPC, 5 Line
 Label Size (W x L): 64mm x 59mm
 Packaging: 625/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **Ti207S**
 Label Description: SL-5300(Ishida) UPC, Safe Handling
 Label Size (W x L): 64mm x 59mm
 Packaging: 625/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

SL-5300 Labels continued



LSi ID# **Ti215**
 Label Description: SL-5300 (Ishida) UPC, Ingredient
 Label Size (W x L): 64mm x 85mm
 Packaging: 450/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **Ti220B**
 Label Description: SL-5300 (Ishida) Blank with Perf.
 Label Size (W x L): 64mm x 110mm
 Packaging: 330/roll; 12 rolls
 Approx. Wt (lbs.): 13 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued

SL-5300 Labels continued



LSi ID# **T6760B**
Label Description: SL-5300 Blank
Label Size (W x L): 67mm x 60.3mm (2.625" x 2.375")
Packaging: 640/rl; 16 rolls
Approx. Wt (lbs.): 20 Wind Direction: Out
Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **T6784B**
Label Description: SL-5300 Blank
Label Size (W x L): 67mm x 84.1mm (2.625" x 3.3")
Packaging: 465/rl; 16 rolls
Approx. Wt (lbs.): 20 Wind Direction: Out
Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **T7650B**
Label Description: SL-5300 Blank
Label Size (W x L): 76mm x 50.8mm (3" x 2")
Packaging: 750/rl; 16 rolls
Approx. Wt (lbs.): 22
Wind Direction: Out
Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC** PRINTING SCALES continued

SL-5300 Labels continued




LSi ID# **T7667B**
Label Description: SL-5300 Blank
Label Size (W x L): 76mm x 67.2mm (3" x 3")
Packaging: 510/rl; 16 rolls
Approx. Wt (lbs.): 22

Wind Direction: Out



Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **T76101B**
Label Description: SL-5300 Blank
Label Size (W x L): 76mm x 101.6mm (3" x 4")
Packaging: 385/rl; 16 rolls
Approx. Wt (lbs.): 22


Wind Direction: Out



Minimum Orders: Stock: 1 case • Custom: 5 cases

LABELS FOR **TEC** PRINTING SCALES continued

SL-5300 Labels continued




LSi ID# **T7883**
Label Description: SL-5300 Blank
Label Size (W x L): 78mm x 83.2mm (3.06" x 3.27")
Packaging: 450/rl; 16 rolls
Approx. Wt (lbs.): 22

Wind Direction: Out



Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **T80STR**
Label Description: SL-5300 Continuous Strip
Label Size (W x L): 80mm (3.15") x 1,600"
Packaging: 16 rolls
Approx. Wt (lbs.): 22

Wind Direction: Out



Minimum Orders: Stock: 1 case • Custom: 5 cases

LABELS FOR **TEC** SCALE PRINTERS


H-1700 Scale Labels




LSi ID# **TTH30**
 Label Description: H-1700 Non-UPC
 Label Size (W x L): 48mm x 30mm
 Packaging: 4,500/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TTH40S**
 Label Description: H-1700 UPC (with Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 3,400/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TTH40DC**
 Label Description: H-1700 UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 3,400/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TTH54DC**
 Label Description: H-1700 UPC, 6 Line Ingredient
 Label Size (W x L): 48mm x 54mm
 Packaging: 2,500/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

H-1700 Labels continued



LSi ID# **TTH54**
 Label Description: H-1700 6-Line Ingredient
 Label Size (W x L): 48mm x 54.8mm
 Packaging: 2,500/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TTH68**
 Label Description: H-1700 UPC, 12 Line Ingredient
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 2,000/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TTH68S**
 Label Description: H-1700 UPC, Safe Handling
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 2,000/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR **TEC** PRINTING SCALES continued

H-1700 Labels continued



LSi ID# **TTH69**
 Label Description: H-1700 UPC, 6 Line Ingredient, bold Net Weight
 Label Size (W x L): 48mm x 69.3mm
 Packaging: 2,000/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TTH84**
 Label Description: H-1700 UPC, 12 Line Ingredient, bold Net Weight
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 1,600/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued

H-1700 Labels continued



LSi ID# **TTH84S**
 Label Description: H-1700 UPC, Safe Handling
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 1,600/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TTH92**
 Label Description: H-1700 UPC, Ingredients
 Label Size (W x L): 48mm x 92mm
 Packaging: 1,500/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LABELS FOR TEC PRINTING SCALES continued

H-1700 Labels continued



LSi ID# **TTH92S**
 Label Description: H-1700 UPC, Safe Handling
 Label Size (W x L): 48mm x 92mm
 Packaging: 1,500/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TTH106**
 Label Description: H-1700 UPC, 22 Line Ingredient, bold Net Weight
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 1,300/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LABELS FOR TEC PRINTING SCALES continued


H-1700 Labels continued



LSi ID# **TTH106S**
 Label Description: H-1700 UPC, Safe Handling
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 1,300/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TTH112**
 Label Description: H-1700 22 Line Ingredient, bottom UPC, bold Net Weight statement
 Label Size (W x L): 48mm x 112.7mm
 Packaging: 1,200/roll; 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: C
 Minimum Orders: Stock: 5 cases • Custom: 5 cases




LSi ID# **TTH48S**
 Label Description: H-1700 Continuous Strip
 Label Size (W x L): 48.0mm x 5,340"
 Packaging: 5 rolls
 Approx. Wt (lbs.): 15 Wind Direction: Out
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR **TEC** SCALE PRINTERS

SL-59 Scale Labels



LSi ID# **TT223**
 Label Description: SL 59-30 Non-UPC
 Label Size (W x L): 60mm x 30mm
 Packaging: 900/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT221**
 Label Description: SL 59-30 UPC
 Label Size (W x L): 60mm x 40mm
 Packaging: 700/roll; 16 rolls
 Approx. Wt (lbs.): 12 Wind Direction: C
 Minimum Orders: Stock: 1 case • Custom: 5 cases





Email: sales@labelspec.com

800-635-2386

Local: 714-961-8074

Fax: 714-961-8276

704 Dunn Way • Placentia, CA 92870

- **Label Specialties, Inc. manufactures custom scale labels in up to six different colors**
- **LSi manufactures and maintains a large inventory of popular stock scale labels ready for same day, or next day shipping**

LSi manufactured supermarket scale labels are produced using premium direct thermal materials with a standard supermarket grade adhesive designed to adhere to quality films and wrapping papers found in most food related environments. Please contact LSi for information about specific label applications, or requirements.

Label Specialties, Inc. guarantee our labels will perform as designed.

For a Price Quotation, or additional information, please [contact LSi](#)



[\(Please include LSi item number\)](#)

LSi manufactures direct thermal scale labels for use in label scales offered by

- **Acom • Atron • Avery Berkel • Bizerba • CAS • Digi**
- **Easy Weigh • Exact • Globe Equipment • Hobart • Ishida**
- **Kubota • Toshiba TEC • Mettler Toledo • Tor-Rey • Weldotron**

LSi also manufactures Direct Thermal labels for scale and printer models offered by
Antonson, ESI, Esselte Meto, Global, Hi-Speed, K-Tron, NCI, and Turn-O-Matic

LSi does not publish our prices on the Internet, so for pricing or additional information please [contact LSi](#)

For three decades Label Specialties, Inc. has been a leading, nationally recognized manufacturer of scale labels used in all major brands of label printing scales by meat and seafood markets, retail grocers and food stores, supermarkets and warehouse superstores, meat, poultry, and cheese processors, and other food manufacturers and establishments to label bakery and candy, deli and cheese, meat and poultry, fish and other seafood, produce, and prepared food packages found everywhere.

Label Specialties, Inc. is not affiliated with any other company or the companies referenced above and LSi does not sell or service any scales.

All brand names and products are trademarks of their respective companies. All rights reserved.