



TEC Scale Labels

[[LSi Home](#)] [[TECscalelabels.com](#)] [[About LSi](#)] [[Contact LSi](#)] [[LSi Scale Label Index](#)]

TEC Labels for use in *TEC SL-9000* Label Scales



computer generated likeness

57mm widths

48mm widths

LSi is not affiliated with Toshiba TEC. Many TEC scale labels are used in more than one TEC scale model and new scale models are introduced to the marketplace regularly. This catalog may not represent all TEC labels available from LSi. Call LSi for information about pricing and availability for labels listed in this catalog as well as labels that may not be listed.

Label Specialties, Inc.

Email: sales@labelspec.com

704 Dunn Way • Placentia, CA 92870 USA

(800) 635-2386 • (714) 961-8074 • Fax (714) 961-8276

All brand names and products are trademarks of their respective companies. All rights reserved.

TEC Scale Labels

For Use in

TEC SL-9000 Label Printing Scales

Label Specialties, Inc. is not affiliated with Toshiba TEC or any other scale manufacturer, and LSi does not sell or service TEC scales. However, Label Specialties, Inc. has specialized in manufacturing scale labels used in label printing scales, including **TEC**, since 1980. Our scale label products are used in Acom, Atron, Avery Berkel, Bizerba, CAS, Digi, Globe, Hobart, Ishida, Kubota, Toledo, **TEC**, Tor-Rey, Weldotron, and many other brands.

LSi manufactured TEC stock labels and TEC custom labels have been used in thousands of TEC scales including TEC SL-57, TEC SL-66, TEC SL-6600, TEC **SL-9000**, TEC H-9100, TEC SL-5300, BC4000TEC, TEC H-1700, and TEC SL-59 scales for labeling bakery, deli, cheese, meat, fish and other seafood, poultry, produce, prepared food, and other retail food packages found throughout the US and in other countries.

LSi is a leading, nationally recognized scale label manufacturer and for three decades Label Specialties, Inc. has maintained a leadership position in providing premium quality TEC scale labels to small, medium, and large customers nationwide and in other countries.

Well over 1,800 distributors and other label customers throughout North America can attest to our industry leading prices on TEC labels and other scale label brands.

Our quality and prices are indeed reflective of our reputation.

Label Specialties, Inc. manufactures both **Custom** TEC labels and **Stock** TEC scale labels, and LSi maintains a large inventory of popular stock TEC labels and other scale label brands, allowing LSi to service customers with same, or next day shipping capabilities.

Warranty

LSi manufactured TEC scale labels are produced using **premium** direct thermal paper coated with a standard supermarket adhesive having a service range of -60°F to +150°F. The suggested range for applying the labels is at between +25° and standard room temperature. Our adhesive is designed for adhering to both **refrigerated** and **non-refrigerated** retail food packages and our base materials meet, or exceed O.E.M. specifications.

Label Specialties, Inc. guarantee our labels will perform as designed.

LSi does not publish prices on the internet, so for pricing or additional information please **contact LSi**





(Please include LSi item number)


LABELS FOR **TEC** SCALE PRINTERS


SL-9000 Scale Labels

SL-9000 (57mm width)




LSi ID# **TT272**
 Label Description: SL-9000 UPC, Commodity 49.2mm Standard
 Label Size (W x L): 57mm x 49.2mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# **TT274**
 Label Description: SL-9000 UPC, 6 Line Ingredient, no bold
 Net Weight statement
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases





LSi ID# **TT274S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 63.5mm
 Packaging: 450/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases

LABELS FOR **TEC** SCALES continued**TEC SL-9000 (57mm width) Labels** continued

LSi ID# **TT276**
 Label Description: SL-9000 UPC, 18 Line Ingredient, no bold
 Net Weight statement
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases

LSi ID# **TT276S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 57mm x 92.8mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT270**
 Label Description: SL-9000 Continuous Strip
 Label Size (W x L): 57mm x 1,300"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 13 Wind Direction: 
 Minimum Orders: Stock: 1 case • Custom: 5 cases

LABELS FOR **TEC** SCALE PRINTERS

SL-9000 Scale Labels

SL-9000 (48mm width)




LSi ID# **TT231**
 Label Description: SL-9000 Non-UPC
 Label Size (W x L): 48mm x 30mm
 Packaging: 900/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251**
 Label Description: SL-9000 UPC (without Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251S**
 Label Description: SL-9000 UPC (with Notch)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT251DC**
 Label Description: SL-9000 UPC (Die Cut)
 Label Size (W x L): 48mm x 40mm
 Packaging: 600/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC LABEL** PRINTING SCALES continued


TEC SL-9000 (48mm width) Labels continued



LSi ID# **TT253DC**
 Label Description: SL-9000 UPC, 6 Line Ingredient,
 no bold Net Weight statement
 Label Size (W x L): 48mm x 54mm
 Packaging: 700/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 5 cases • Custom: 5 cases



LSi ID# **TT253**
 Label Description: SL-9000 Non-UPC
 Label Size (W x L): 48mm x 54.8mm
 Packaging: 500/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LSi ID# **TT255**
 Label Description: SL-9000 UPC, 12 Line Ingredient,
 no bold Net Weight statement
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC LABEL** PRINTING SCALES continued**TEC SL-9000 (48mm width) Labels** continued

LSi ID# **TT255S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 68.8mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT256**
 Label Description: SL-9000 UPC, 6 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 69.3mm
 Packaging: 400/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT257**
 Label Description: SL-9000 UPC, 12 Line Ingredient, with bold Net Weight statement
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases




LABELS FOR TEC LABEL SCALES continued

TEC SL-9000 (48mm width) Labels continued



LSi ID# **TT260S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 84.1mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT264**
 Label Description: SL-9000 UPC, Expanded Text
 Label Size (W x L): 48mm x 92mm
 Packaging: 300/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LABELS FOR **TEC LABEL** **SCALES** continued

TEC SL-9000 (48mm width) Labels continued

SAFE HANDLING INSTRUCTIONS <small>THIS PRODUCT WAS PREPARED FROM UNINSPECTED AND PRESSED MEAT AND/ OR POULTRY. SOME FOOD PRODUCTS MAY CONTAIN BACTERIA THAT COULD CAUSE ILLNESS IF THE PRODUCT IS MISHANDLED OR COOKED IMPROPERLY. FOR YOUR PROTECTION, FOLLOW THESE SAFE HANDLING INSTRUCTIONS.</small>  KEEP REFRIGERATED OR FROZEN. THAW IN REFRIGERATOR OR MICROWAVE. KEEP RAW MEAT AND POULTRY SEPARATE FROM OTHER FOODS.  WASH WORKING SURFACES (INCLUDING CUTTING BOARDS), UTENSILS, AND HANDS AFTER TOUCHING RAW MEAT OR POULTRY.  COOK THOROUGHLY. KEEP HOT FOODS HOT. REFRIGERATE LEFT-OVERS IMMEDIATELY OR DISCARD.		
PACKED ON		
SELL BY		
NET WT/CT.	PRICE/£	TOTAL PRICE \$

LSi ID# **TT264S**
Label Description: SL-9000 UPC, Safe Handling
Label Size (W x L): 48mm x 92mm
Packaging: 300/roll; 16 rolls
Approx. Wt (lbs.): 10 Wind Direction:
Minimum Orders: Stock: 1 case • Custom: 5 cases



PACKED ON		
SELL BY		
NET WT/CT.	PRICE/£	TOTAL PRICE \$

LSi ID# **TT259**
Label Description: SL-9000 UPC, 22 Line Ingredient, bold Net Weight statement
Label Size (W x L): 48mm x 106.4mm
Packaging: 250/roll; 16 rolls
Approx. Wt (lbs.): 10 Wind Direction:
Minimum Orders: Stock: 1 case • Custom: 5 cases





LABELS FOR **TEC** SCALES continued**TEC SL-9000 (48mm width) Labels** continued

LSi ID# **TT259S**
 Label Description: SL-9000 UPC, Safe Handling
 Label Size (W x L): 48mm x 106.4mm
 Packaging: 250/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT258**
 Label Description: SL-9000 22 Line Ingredient, bottom UPC, bold Net Weight statement
 Label Size (W x L): 48mm x 112.7mm
 Packaging: 225/roll; 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases



LSi ID# **TT252**
 Label Description: SL-9000 Continuous Strip
 Label Size (W x L): 48.0mm x 1,000"
 Packaging: 16 rolls
 Approx. Wt (lbs.): 10 Wind Direction:
 Minimum Orders: Stock: 1 case • Custom: 5 cases





Email: sales@labelspec.com

800-635-2386

Local: 714-961-8074

Fax: 714-961-8276

704 Dunn Way • Placentia, CA 92870

- **Label Specialties, Inc. manufactures custom scale labels in up to six different colors**
- **LSi manufactures and maintains a large inventory of popular stock scale labels ready for same day, or next day shipping**

LSi manufactured supermarket scale labels are produced using premium direct thermal materials with a standard supermarket grade adhesive designed to adhere to quality films and wrapping papers found in most food related environments. Please contact LSi for information about specific label applications, or requirements.

Label Specialties, Inc. guarantee our labels will perform as designed.

For a Price Quotation, or additional information, please [contact LSi](#)



[\(Please include LSi item number\)](#)

LSi manufactures direct thermal scale labels for use in label scales offered by

- **Acom • Atron • Avery Berkel • Bizerba • CAS • Digi**
- **Easy Weigh • Exact • Globe Equipment • Hobart • Ishida**
- **Kubota • Toshiba TEC • Mettler Toledo • Tor-Rey • Weldotron**

LSi also manufactures Direct Thermal labels for scale and printer models offered by
Antonson, ESI, Esselte Meto, Global, Hi-Speed, K-Tron, NCI, and Turn-O-Matic

LSi does not publish our prices on the Internet, so for pricing or additional information please [contact LSi](#)

For three decades Label Specialties, Inc. has been a leading, nationally recognized manufacturer of scale labels used in all major brands of label printing scales by meat and seafood markets, retail grocers and food stores, supermarkets and warehouse superstores, meat, poultry, and cheese processors, and other food manufacturers and establishments to label bakery and candy, deli and cheese, meat and poultry, fish and other seafood, produce, and prepared food packages found everywhere.

Label Specialties, Inc. is not affiliated with any other company or the companies referenced above and LSi does not sell or service any scales.

All brand names and products are trademarks of their respective companies. All rights reserved.